



EYE-LEVEL DIGITAL CLINICAL SCALES

- Extra-high 1,000-lb capacity
- Sonar touchless height rod for ultimate speed and accuracy
- Ultra-thin platform only 1.5 inches high
- Multi-color touchscreen LCD display
- Displays weight, height, and BMI onscreen simultaneously



WEIGHT, HEIGHT + BMI INSTANT READOUTS WITHOUT PUSHING A SINGLE BUTTON

The icon's powerful sonar touchless height rod combined with an all-in-one color display means the patient simply steps onto the scale platform and within a second your full measurements are all displayed onscreen instantly without having to press a single key for the ultimate in speed, hygiene, and accuracy.



DETECTO



USA-MADE, STATE-OF-THE-ART MEASUREMENT TECHNOLOGY THAT IS ICONIC

Every so often in history, the evolution of product technology takes a monumental step forward. DETECTO has been pioneering physical measurement since 1900 and along the way studying intensively what comprises an incredible healthcare weighing experience. As result of over a century of research, we introduce you to clinical weighing's new icon®.

DETECTO's USA-made icon® represents the next generation of digital clinical measurement. There is nothing equivalent to the icon® on the market!


DETECTO's icon® eye-level digital clinical scale has a dual-ranging capacity of 0.2 lb/0.1 kg up to 600 lb/300 kg and 0.5 lb/0.2 kg up to 1,000 lb/500 kg. The low-profile 17 in W x 17 in D platform is nearly flat at only 1.5 inches high. The icon® includes a non-medical grade standard AC adapter or can be powered by 12 AA batteries (not included). The touchless sonar height rod allows you to simply step on the scale and within seconds weight, height, and Body Mass Index will all be displayed onscreen without touching a single key.



DETECTO's USA-made apex® scales measure weight and height efficiently on patients of all ages and sizes.



DETECTO's USA-made icon® scale assembles easily in seconds right out of the box without the use of any tools. The sonar height rod plugs easily into the back of the column and is held in place securely via a clip on the indicator and the receiving port on the column.



- Eye-level weight display convenience
- Sturdy column construction
- Made in USA quality is apparent throughout the scale design
- 4 different standard icon® models available to choose from



MULTI-COLOR TOUCHSCREEN DISPLAY

The icon® features a high-tech, smartphone-style indicator for easy utilization with 7 simple buttons and a multi-color touchscreen LCD display for large readouts.

- 0.9-inch-high, clinical-blue LCD weight digits
- Multi-color touchscreen LCD display
- Displays weight, height, and Body Mass Index onscreen simultaneously
- Automatically locks on weight temporarily for a few seconds in order to easily view and record measurement
- Menu button provides quick access to user-friendly menu settings for scale customization
- Battery power level indication

VERSATILE CONNECTIVITY:

- 1 USB-B port
- HL7 IEEE 11073 compliant (standard)
- Wi-Fi Ethernet models available for wireless EMR/EHR
- Welch Allyn® device connectivity available: CVSM, CSM, and LXI (see models chart on back page)

PATIENT IDs



The icon's brilliant, multi-color touchscreen display and intuitive user-prompted navigation menus provide easy entry of items such as 8-digit numeric patient IDs for EMR/EHR.

AC ADAPTER



DETECTO's icon® clinical scale includes 1 USB-B port, integral bubble level, AC adapter is included standard, optional Wi-Fi, and Welch Allyn EMR/ EHR connectivity available.

AUTO LOCKING



When a patient steps on the scale, weight, height, and BMI are all shown onscreen and instantly held on the display for 7 seconds automatically in order for the medical professional to view and record the data.

BATTERIES



The platform cover may be removed for easy cleaning and also to provide access to the battery compartment. The icon® may be powered by 12 AA batteries (not included).

STATE-OF-THE-ART EYE-LEVEL DIGITAL CLINICAL SCALES

	icon® EYE-LEVEL DIGITAL SCALES WITH SONAR HEIGHT RODS					
		Model	ICON	ICON-WI	ICON-UWA	ICON-LXI
	Capacity		600 lb x .2 lb / 1000 lb x .5 lb 300 kg x .1 kg / 500 kg x .2 kg			
ш	Height Rod		Touchless sonar height rod			
	Height Rod Measures		24" (2') - 86" (7'2") x 0.2 in / 60 cm - 218 cm x 0.5 cm			
	POWER DIMENSIONS	Overall Dimensions	17 in W x 18.5 in D x 89.5 in H / 43 cm W x 47 cm D x 227.3 cm H			
ш		Platform Size	17 in W x 17 in D x 1.5 in H / 43.2 cm W x 43.2 cm D x 3.8 cm H			
		LCD	.9 in / 2.3 cm H LCD digits			
0.0		Batteries	12 AA batteries (not included)			
-		AC Adapter (included)	•	•	•	•
	Ports		1 RS232 serial port and 1 USB-B port			
	Connectivity			Wi-Fi Ethernet	Welch Allyn CVSM/CSM	Welch Allyn LXI
	Net Weight		22 lb / 10 kg			
DE	Shipping Weight		31 lb / 14 kg			
TECT	Shipping Dimensions		58 in x 20 in x 6 in / 147 cm x 51 cm x 15 cm			
0	UPC Code		809161198805	809161198904	809161199000	809161199109

DETECTO reserves the right to improve, enhance, or modify features and specifications without prior notice.





Mobile: m.detecto.com



SOLD BY: