BROD	Latitude Reha	b Wheelchair 500MR	CDN Ord Augu
PO:	Date:	Customer #:	
Customer Name: Address:		Ship To Name: Address:	
Phone: Contact: Email:		Phone: Contact: Tag:	
		Standard Features	
	<ul> <li>250lb Maximum Occupant Weight</li> <li>Caregiver Activated Rocking</li> <li>Comfort Tension Seating®</li> <li>14" - 19" Adjustable Seat Surface Height</li> <li>32" Back Support Height</li> <li>Up to 33° of Seat Tilt</li> </ul>	<ul> <li>2 x 5" Total Lock Rear Caster Wheels</li> <li>2 x 20" Front Mounted Mag Wheels</li> <li>Seat Mounted Lower Leg Support Assembly (standard wir or 20" seat depth)</li> <li>Base Mounted Lower Leg Support Assembly(standard wir or 17" seat depth)</li> <li>Swing Away Lower Leg Supports</li> </ul>	
		Swing Away Lower Leg Supports	
		Model: 500 MR MSRP \$3,354.85	
Strap Color: O Grey	Seating and Frame           y         O Blue         O Black         N/C	Color Options       Frame Color:          () Grey         () Black	N/C
		r Options (Select one)	100
Traditional Upholste			
*Traditional Upholstery	Colors come with seat and back cushions in ma	tching vinyl color.	
New Upholstery Cold	ors:		
Vinyl:		Vinyl: OBeeline Portobello OBeeline Geyser	
O Interlace Indigo**	◯ Interlace Graphite**	O Beeline Fossil O Beeline Forge	
() Savoy Black	Interlace Espresso**	Nylon:	
◯ Kaleidoscope Smol		O Digital Camo Retro Camo	
**Upholstery Colors come	with seat and back cushions in savoy black vinyl. ***	Interlace: Indigo, Espresso, and Graphite available with seat and back	
cushion in matching vinyl c			
		t Options	
Seat Width: $016''$	or ()18" N/	C Seat Depth:         0 15.5"         0 20"	
<u> </u>	N/	<u>C</u> <u>O</u> 17"	N/C
<u> </u>		<u>0</u> 18.5"	Standard
		Seat Height: $\bigcirc 14" \bigcirc 15" \bigcirc 16" \bigcirc 17" \bigcirc 18" \bigcirc 19'$	N/C
		rd $\bigcirc$ Solid Seat Pan (Not Compatible with 15.5" Seat Depth)	
See CT	<u> Seat Options below</u>	See Matrx Seat Cushion Options below	
		CTS) ONLY: Seat Cushion Options	
<b>OBroda Seat Cushi</b>	, i i i i i i i i i i i i i i i i i i i	O Terry Cover (Grey or White)	N/C
	O Full Vinyl Wrap Seat		
() Additional Positioni		"() 18" () 20" Seat Depth () 17" () 19" () 21"	
	Seat Width: () 22'	" () 17" () 19" () 21"	



	trx® ONLY: Seat Cus	-				
Matrx	<b>Reat Cushior</b>	IS	—mat	ly.		
For Correct Fit: Cushion Size Should	Match Selected Chair	· Seat Dimensions	SEATING SERIE	5		
<b>Seat Cushion Depth:</b> () 16" () 18" () 20" (	) 22" (Only available w/	PS Cushion)				
		,				
<b>Seat Cushion Width:</b> () 16" () 18" () 20"	Seat Cushion	Width: () 22"				
Libra - Recommended for highest risk of or existing skin breakdow	: O Libra - Recomm	ended for highest risk o	r evisting skin breakdo			
Vi - Recommended for moderate to high risk of skin breakdown		led for moderate to high				
OPSP - Recommended for moderate to high risk of skin breakdown			Thisk of skill broakdow			
OPS - Recommended for low to moderate risk of skin breakdown	British PS - Recommer	nded for low to moderate	e risk of skin breakdov	v ș		
	Vi, PSP &	PS				
Libra Cuchian O Libra Fluid Supplement	) Cushior	_	Obliquity Kit			
Libra Cushion Olivera 11 Hemi Wedge	,		· ·			
				20" / 22"		
O Libra 1" Anterior Seat Wedge	Cushion Rigid	izer:	16" Depth 18" Depth	Depth		
O Libra Tapered Wedge Left	All Cushi	ions 16" Width	0 ;0	0		
Libra Tapered Wedge Right	r 1	18" Width	0 5 0	0		
C Libra Abductor		20" Width	0 50	0		
	ľ	22" Width	0	0		
For Correct Fit: Cushion Size	Should Match Selected		-	U		
<b>Seat Cushion Depth:</b> () 16" () 18" () 20" (	) 22" (Only available w/					
<b>Seat Cushion Width:</b> 0 16" 0 18" 0 20"		dth: 21 24" (PS &	kLibra) (PS	only)		
OLibra-Recommend for highest risk of or existing skin breakdown	OLibra-Recomme	end for highest risk of o	or existing skin break	lown		
○ Vi -Recommend for moderate to high risk of skin breakdown	○ Vi -Recommer	○ Vi -Recommend for moderate to high risk of skin breakdown				
OPSP -Recommend for moderate to high risk of skin breakdown						
OPS - Recommend for low to moderate risk of skin breakdown	OPS -Recommen	nd for low to moderate	risk of skin breakdov	vn		
Libra	Vi, PSP & PS	Pelvic O	bliquity Kit			
Cushion O Libra Fluid Supplement	Cushion Access	sories:				
. Č	ushion Rigidizer:	16" D	18" D 20" / 22" I	D		
$\sim$		5" Width O	00			
Libra Tapered Wedge Left		3" Width O	<u> </u>			
O Libra Tapered Wedge Right	20	)" Width 🔘	00			
C Libra Abductor	22	" Width	0 0, .			
O Infection Control Slipcover for Matrx Cushi	<b>T</b> - <b>T</b>					



			Back Options			
Back Suppor	<b>•t</b> ○ 32"	Sta	andard Bac	k 🔵 Comfoi	rt Tension Seating® (CTS)	Standard
Height:	○ 33.5"		Seating	g		
	<u> </u>					
			<b>Cushion Option</b>			
Broda Cu	ishions Include:	Upper & Lower Side Cover, Bac	ck Cushion with C	Cover		N/C
		○ Vinyl Cover ○	Terry Cover (Grey	or White)		N/C
		○ Full Vinyl Wrap Back	-			
○ Additiona	l Positioning Pa	dding (APP) Back Cushion	Back Width	: <u>○</u> 16"	<u> </u>	
				O 22"		
N I-	OND CV	Common Padd				
Neck	○ NR-CV	Head Support Visco Foa	m Contoured Pad	() Triptex		
Supports:	<u>○</u> NS	Neck Support Soft Visco	Cushion		Neck Support	
	○ APP HEAD	APP Head Support		Seat Width:	○ 16" ○ 18○ 20	
					○ 22"	
Positioning:		APP Shoulder Supports -				
	⊖SR	Lateral Support Reductio	on Cushions - Pair			
	⊖SAS	Side Arm Supports - Pair	•			
	OCC-LTS	Comfort Company Latera				
	OLTS	Lateral Torso Supports (A			(MENDED) - Pair	
			port Options (Sea	lect One)		
		Height Adjustable Non-removabl	e Arm Supports			Standard
Arm Suppor	-	Arm Supports - Pair				Standard
		Arm Support Trough - Each				
	-	Cushioned Arm Support* -Pair				
Front Morr		Not compatible with a tray	and Ontions	Dee	r Mount Configuration	
	t Configuration Wheels - Pair	n vvn Standard	eel Options		r Mount Configuration r Wheels - Pair	Standard
	Wheels - Pair Wheels - Pair	Standard N/C		LUCK Caste	1 WILCOS - I All	Standard
	ock Caster Whe		○ 20" Rea	r Mags		N/C
	num Caster Whe		-	g Wheels - P	Pair*	N/C
<u> </u>	rake Extension 1			•	imit tilt depending on arm support height;	
		equired safety feature N/C	122 mag	, πων επεπιτγ μ	and an acpending on arm support height)	,
<b>•</b> • • • • • • • • • • • • • • • • • •			Leg Support Opti	ions		
Lower Leg	(allows for lower	leg supports to tilt with chair)(configure			mer Support for full details)	
Support	⊖ SM-HANGER					
Assembly	⊖ SM-HANGER					
Style:	○ SM-HANGER					
•	⊖ SM-HANGER					
Lower Leg	⊖F-SW-ELV	Elevating Swing Away L				
Support	⊖F-SW	Swing Away Lower Leg				
<b>Options:</b>	OLEG-FOOT-4	8/48R Lower Leg Support Foot	Board			
	O LEGPANEL-4	Lower Leg Support Pane	l Cushioned Blacl	K		



Total: \$

Delet Delter			ories		
Pelvic Belts: (	⊖ S-BELT	Pelvic Belt	🔿 Center B	Buckle	◯ Side Buckle
(	⊖S-BELT-A	Pelvic Belt Auto Buckle	O Center B	Buckle	◯ Side Buckle
(	⊖S-BELT-PD	Pelvic Belt Cushioned			
○ S-BELT-PD-A Pelvic Belt Cushioned & Auto Buckle					
<b>Fhigh Belts:</b> (	⊖T-BELT	Thigh Belt Cushioned			
(	⊖ T-BELT-A	Thigh Belt Cushioned & Auto	Buckle		
(	⊖ T-BELT-NEO	Thigh Belt Cushioned Neopren	ie		
(	⊖ T-BELT-NEO-A	Thigh Belt Cushioned Neopren	e Auto Buckle		
(	⊖ T-BELT-NEO-APP	Thigh Belt Cushioned Neopren		ages	
○ T-BELT-NEO-A-APP Thigh Belt Cushioned Neoprene Auto Buckle for A				& SPP Pac	ckages
<b>Frays:</b> (	⊖ TRAY-ABS	Tray ABS with Strap	🔿 Sewn Tray Strap	OGrey	Black
(	O TRAY-CLEAR	Tray Clear with Strap	🔿 Sewn Tray Strap		
(		Half Tray (side specific)(includes	s upper side pad)		
(	⊖ TRAY-COVER	Cushioned ABS Tray Cover			
Stabilizers: (	⊖ STABIL-FR	○ Front or ○ Rear Mounted S	Stabilizers (select one)(pa	ıir)	
(	⊖ STABIL-LAT	Lateral Frame Stabilizers			
Other: (	⊖ IV-POLE	IV Pole and Assembly O From	t Mount		
(	O2-HOLDER	Oxygen Holder and Assembly	○ Front Mount		
(		Accessory Bag (Black) Each			
(	OBAG PERSONALIZIN	(2 Initials) OBrush Font OR OBlock	c Font		
(	O2-HOLDER-BAG	G Oxygen Holder, Soft Carry H	Bag		
CUP-HOLDER Cup Holder (not compatible with front mounted mag wheels)					
Additi	onal Options:				

**Delivery Instructions or Special Requests:** 

Accessorial Services: Each with an additional charge, are available to accommodate the delivery needs of Broda customers and/or the needs of a shipment's final delivery location. To ensure a seamless delivery of each Broda order,

any accessorial services needed to deliver are requested when an order is submitted to Broda.

○ Lift Gate Service: Delivery is made with a lift gate trailer that moves the shipment from trailer level to ground level

O Residential Delivery Service: Delivery to a residential location

O Notification Before Delivery: Contact is requested to the Consignee by the Carrier PRIOR to shipment delivery

O Inside Delivery Service: Movement of the shipment beyond the unloading position, i.e. move closer to a door, inside a

building, upstairs, down a hall, etc. Price is specific per order, based on the customer's inside delivery needs

C Limited Access Service: Delivery locations that are not open to the walk-in public, during normal business houses. Mon-Fri. 8a-5p

Expedited delivery is available by customer request at the time of order, which is priced per order and is based on the