



Instruction Sheet

Adult Sling Swing 0134

Store these instructions with the enclosed maintenance checklist in a safe place. You may also access them on our website.



Take time to familiarize yourself with the use and maintenance of this equipment before using. Please file this Instruction Sheet in an accessible location: the Instruction Sheet must be read and familiar to anyone who is using Southpaw Enterprises Equipment.

MATERIALS LIST

ADULT SLING SWING

- 1 - Adult Sling Swing
- 1 - Locking Safety Snap
- 1 - Instruction Sheet
- 1 - Safety Snap Instruction Sheet
- 1 - Maintenance Checklist

HEIGHT AND SPACE REQUIREMENTS

The Sling Swing is 60 inches long and can be used with 8 foot ceilings. Use caution to keep a minimum of 6 foot clear distance from walls and other obstacles.

HEIGHT ADJUSTER AND SAFETY ROTATIONAL REQUIREMENTS

- To hang your Southpaw Sling Swing you may need to use some of the Southpaw Height Adjustment Equipment such as Therapy rope (0150), Eye Splice (0151), and Height Adjuster (5000).
- A Southpaw Safety Rotational Device must be used to prevent damage to hanging equipment.

WORKING LOAD

- The Adult Sling Swing has a working load of 350 pounds.

NOTE: The Sling Swing is appropriate for all clients, including infants and adults.

HANGING AND USE


- Simply attach the safety snap that comes with your Sling Swing through the loops at the ends of the web and hang this safety snap on your suspension system. Adjust to appropriate height for client.
- The Southpaw Label on both sides of the Sling Swing mark the center of gravity—and the center of balance. (See drawing).
- Client may need assistance to enter Sling Swing.

MAINTENANCE CHECKLIST

All the following wear points should be checked on a monthly basis and recorded on the checklist enclosed.

MAINTENANCE CHECKLIST (cont.)

- Check Safety Snap for wear. See Safety Snap instruction sheet for maintenance wear points and precautions.



- Look at the webbing to check for wear at the point the webbing rubs against the Safety Snap. If wear is found discontinue use.
- Check seams for loose or missing stitches. If loose or missing stitches are found in the seams joining the knit fabric to the vinyl fabric or webbing, discontinue use until repaired.

MATTING PRECAUTIONS

- Always use appropriate matting.
- Crash mats and wall mats must be used with all hanging equipment.

STORAGE PROCEDURES

- Store out of direct sunlight.
- Store where not accessible by clients without proper supervision.

CLEANING INSTRUCTIONS

- Wipe vinyl with a damp cloth—do not immerse vinyl in water.
- Knit jersey may be hand washed using care not to immerse vinyl.
- Hang to dry.

CAUTION

- ◆ **Check ceiling eye bolt for wear and movement. Use a Southpaw Safety Rotational Device to prevent abnormal wear.**
- ◆ **Floor mats of proper thickness should be positioned properly under and around all suspended equipment.**

Safety Precautions - The safety of your clients is dependent on the appropriate choice of activity to match, yet challenge their physical abilities. Use appropriate spotting / safety techniques. In addition, the layout of your activity area, proper installation and maintenance of your equipment is critical. Southpaw equipment is not intended for recreational or outdoor use. Under no condition should this equipment be used without proper supervision.

This sheet is for example only. It is not meant to, in any way, replace local, county, state, or Federal standards. Be aware - it is your responsibility to find all pertinent safety information that pertains to your facility.