

PHYSICAL THERAPY

PRODUCT CATALOG

- Orthopedics
- Mobilization
- Examination
- Treatment
- Functional Training
- Vestibular Rehabilitation
- Sports Rehabilitation

Translating evidence into practice via ergonomically efficient products.














TABLE OF CONTENTS

PT4002
New! PT400M
PT3004
PT2505
New! PTI50
PT1006
POWERLINE™
STORABLE MAT8
PORTABLE MANIPULATION TABLE9
STABILIZATION STRAPS
ACCESSORIES
New! BOIANCE™ FLOAT
PRONE PILLOW
STOOLS
FARRIC CHOICES 14



"Oakworks" PT Series table's low 17" height range is ideal for lower patient positions often necessary for manipulations, NMRs and ADLs that require the therapist to establish treatment planes with significant leverage and it makes wheelchair transfers

safe and easy. Its sturdy base enhances the therapist's ability to establish effective manipulation vectors while being ergonomically adjustable to ensure safety for both the patient and the therapist."

Dr. Robert DuVall, PT, DHSc, ATC, OCS, SCS, FAAOMPT CSCS



OAKWORKS PT SERIES TABLES

The perfect platform for PT work!

Table designs are PT facilitated by PT practitioners.

FIRM RESPONSE FOAM



This padding has been designed to deliver a firm yet comfortable surface that maximizes Physical Therapists' ergonomic efficiency during examination and intervention procedures. Additionally, this surface minimizes Manipulation Dry Hits with its super high density, twin layer design. The Firm Response foam enables increased reliability of patient examinations.

STIFF TWIN BEAM CONSTRUCTION



Stiffer than cantilever designs and with fewer moving parts, our design supports all your work with a 17"- 34" height range and a powerful ETL listed motor.

PT SERIES SAFETY LISTINGS

FDA listed to regulation #878.4960 - Class 1; CE Declaration of Conformity to Annex I of the EC Directives 90/385/EEC and 93/42EEC; cETLus Test Reports to IEC/EN 60601-1 $3^{\rm rd}$ Edition, IEC/EN 60601-1-2 $3^{\rm rd}$ Edition, IEC/EN 62366 $1^{\rm st}$ Edition; Authorization to Mark (ATM) to IEC 60601-1-6 $3^{\rm rd}$ Edition, ATM to ANSI/AAMI ES60601-1 $3^{\rm rd}$ Edition, ATM to CAN/CSA-C22.2 No. 60601-1

made in the USA Foot Control Shown with optional included!

PT400

550 LB. LIFTING CAPACITY

- Electric controlled center break
- Multiple angles & configurations
- Uniform stability maintained in 17" - 34" electric height range






Watch the video!

SPECIFICATIONS	
Lifting Capacity	550 lbs.
Height Range	17"- 35"
Width	27", 29", 3 <i>1</i> "
Length	73"
Padding	1.75" Firm Response,2.5" Comfort Foam™
Fabric	TerraTouch™
Controls	I foot control (multi-function)
Options	Hand Control, Locking Twin Casters
Safety Listings	FDA, cETLus, CE Marked, CB Certficate Details on page 1

Bold=Standard, *Italic=Additional Charge* (except padding)





FEATURES









Locking Twin Casters

New PT400M

550 LB. LIFTING CAPACITY

- Powered center break & height
- Optional arm rests & table extenders
- Contoured ergonomic design
- Advanced head support included













29.5"



21.5"

44.5"

made in the USA

video:	10.5"
	2
16.25	
AS"	22"
_	

SPECIFICATIONS

Lifting Capacity	550 lbs.
Height Range	18"- 36"
Width	29.5"
Length	77" (including head rest)
Padding	2.5" Comfort Foam™ , 1.75" Firm Response
Fabric	TerraTouch [™]
Controls	I foot control (multi-function)
Options	Hand Control, Second Foot Control, Locking Twin Casters
Accessories	PT400M Rotating Arm Rest (set of 2), PT400M Extension Pad, PT400M Shelf Bracket
Safety Listings	FDA, cETLus, CE Marked, CB Certficate Details on page 1

Bold=Standard, Italic=Additional Charge (except padding)











PT300

550 LB. LIFTING CAPACITY

- Super low 16" height
- Smooth High-Low excursion range
- Patient examination ergonomic efficiency
- Dix-Hallpike maneuver ergonomic efficiency
- Wide enough for Brandt-Daroff exercises for treatment of BPPV
- Firm Response foam minimizes Dry Hits
- Ease of VAT with drop head section
- Efficient/Dry needling patient positioning



FEATURES

0°-82° LIFT-ASSIST BACKREST

This easy to use system makes it possible to adjust the table effortlessly even when your patient is on the table. The powerful gas cylinders are controlled by easy to reach finger controls that lock the table securely in place after movement.

Foot Control included!









SPECIFICATIONS	
Lifting Capacity	550 lbs.
Height Range	16"- 34"
Width	29" , 31"
Length	73"
Padding	1.75" Firm Response,2.5" Comfort Foam™
Fabric	TerraTouch™
Controls	I foot control
Options	Hand Control, Locking Twin Casters, Retractable Side Rail (31" width only)
Safety Listings	FDA, cETLus, CE Marked, CB Certficate Details on page I

Bold=Standard, Italic=Additional Charge (except padding)





Watch the video!



PT250

550 LB. LIFTING CAPACITY

- Super low 16" height
- Vertebral Artery Testing efficiently and safely
- Optimize Examination/ Dry needling






SPECIFICATIONS	
Lifting Capacity	550 lbs.
Height Range	16"- 34"
Width	29" , 31"
Length	72"
Padding	1.75" Firm Response,2.5" Comfort Foam™
Fabric	TerraTouch™
Controls	I foot control
Options	Hand Control, Locking Twin Casters
Safety Listings	FDA, cETLus, CE Marked, CB Certficate Details on page 1

Bold=Standard, *Italic=Additional Charge* (except padding)

"The drop down head section feature enables patient safe and Physical Therapist efficient cervical examination and treatment."

Dr. Robert DuVall, PT, DHSc, ATC, OCS, SCS, FAAOMPT CSCS

FEATURES & OPTIONS





K



Watch the video!

Enhances maneuverability in small spaces and allows PT to treat patients from either side of the table.





SPECIFICATIONS

for PT150 & PT100

Lifting Capacity	550 lbs.
Height Range	16"- 34"
Width	29", 31"
Length	73" (PT100), 75" (PT150)
Padding	1.75" Firm Response,2.5" Comfort Foam™
Fabric	TerraTouch [™]
Controls	I foot control
Options	Hand Control, Locking Twin Casters
Safety Listings	FDA, cETLus, CE Marked, CB Certficate Details on page 1

Bold=Standard, Italic=Additional Charge (except padding)

New PT150

550 LB. LIFTING CAPACITY

- Super low 16" height
- Lift-Assist backrest 0°- 90°
- Stiff twin beam construction
- Mobilization
- Neuromuscular Re-education

"Multi-functional table for ergonomically efficient manual therapy, neuromuscular re-education both conveniently applied to therapeutic activities necessary to achieve optimal patient outcomes."

Dr. Robert DuVall, PT, DHSc, ATC, OCS, SCS, FAAOMPT CSCS

OPTION



Optional Locking Twin Casters

Enhances maneuverability in small spaces and allows PT to treat patients from either side of the table.

PT100

550 LB. LIFTING CAPACITY

- Super low 16" height
- Stiff twin beam construction
- Mobilization
- Neuromuscular Re-education
- Therapeutic Activities







POWERLINE™

500 LB.WEIGHT CAPACITY

- Heavy-duty construction
- Strongest table in its class
- Easy setup
- Ships in one box with hardware included!
- 3 year guarantee





Watch the video!

FEATURES



HEAVY DUTY CONSTRUCTION

Super strong hardware used throughout, built to last!

OPTIONS (additional charge)



INSET SHELF

The optional shelf is notched at the corners so it stays in place, while providing added support and stability to the table. Offers easy access to storage & frequently used accessories.





Bold=Standard, Italic=Additional Charge





STORABLE MAT TABLE

UP TO 40" WIDE! With US & imported parts CS System ™ (Complementary Suspension): U.S. Patent #6,192,809

550 LB.WEIGHT CAPACITY

- 16"-25" height range
- Ultra stiff leg bracing
- Space saving design
- 40" width option

The **ONLY** portable mat table on the market with a **550 lb. Weight Capacity!**

The Oakworks® storable mat is as flexible as it is stable. Perfect for space constrained facilities where mat work is required, the portable mat table provides up to a 40" by 78" working surface while easily stores out of the way in a super-compact suitcase sized space.

SPECIFICATIONS	
Weight Capacity	550 lbs.
Table Weight	40-55 lbs. (depending on width)
Height	16"- 25"
Width	33", 35", 40"
Length	78"
Тор	Flat
Padding	2.5" Semi-Firm, 1.5" Firm Response
Fabric	TerraTouch™
Accessories	Stabilization Strap (33" & 35" only)
Options	Stabilizing Feet (4 included with 40")
Safety Listings	FDA, CE Marked

Bold=Standard, *Italic=Additional Charge* (except padding & 40" width)



UniLock™: U.S. Patent # 7,472,656

QUICK PORTABILITY

With its space saving design, the Storable Mat folds up easily for storage and is ready to follow wherever you go.



STABILIZING FEET

For maximum stability each 40" Storable Mat comes standard with stabilizing feet, which easily fold out of the way for storage.





PORTABLE MANIPULATION TABLE

550 LB.WEIGHT CAPACITY

- Adjustable Heights
- Easily portable at only 25 lbs.
- · Optimal body mechanics for any therapist
- Firm Response foam minimizes Dry Hits and increases reliability of examinations.
- Designed for Manual Manipulation, Range of Motion & Manual Muscle Testing



CS System[™] (Complementary Suspension): U.S. Patent #6,192,809

UniLock™: U.S. Patent # 7,472,656





"The Portable Manipulation Table from Oakworks® offers an outstanding platform for performing thrust and non-thrust manipulation. The team at Oakworks® has listened to the feedback of practicing manual physical therapists and created a high value and excellent performing product. You can't ask anything more out of a portable manipulation table!"

Timothy W. Flynn, PT, PhD

Desirable portability for Physical Therapists in school, internship, residency or fellowship training environments.



SPECIFICATIONS	
Weight Capacity	550 lbs.
Table Weight	25 lbs.
Height	24"- 34"
Width	27"
Length	73"
Тор	Flat
Padding	I.5" Firm Response
Fabric	TerraTouch™
Accessories	Carry Case, Stabilization Strap
Options	Sports Stripe
Safety Listings	FDA, CE Marked

Bold=Standard, Italic=Additional Charge



ADJUSTABLE 24"-34" height range is ergonomically correct for any therapist.



DURABLE

TerraTouch™ fabric & Firm Response foam matched with our strong aluminum frame provides endless stability.



STABILIZATION STRAPS



GREAT FOR RANGE OF MOTION, MOBILIZATION & ISOLATION

FDA listed

- Adjustable in length over a wide range for stabilization of any body part
- Designed to work with Oakworks® PowerLine™ table, Oakworks® Portable Manipulation table and Storable Mat (excluding 40").
- Secure and strong, heavy duty design will last for years
- Wide straps offer more surface area for client comfort
- Great for range of motion, mobilization, isolation






Watch the video!











ACCESSORIES

EVERYTHING YOU NEED TO POSITION YOUR PATIENTS



AERO•CEL™ BOLSTERS Available in all TerraTouch™ colors!

Oakworks® Aero•Cel™ bolsters are 100% Polyurethane fabric - no PVC - with pull handles at both ends.





PILLOW COVERS

Easy to clean, the pillow cover is a hygienic barrier between your pillow and client. Choose from standard or king size.



RECTANGULAR BOLSTER

Designed specifically to support a patient's leg when in a side lying position, this rectangular bolster offers two levels of height and ample surface area. 7"W x 27"H x 10"L



WEDGE BOLSTER

Easily used as a backrest or leg support. 24" W x 10" H x 24" L with a 36° incline.



TABLE EXTENDERS

Extend the length of your table. Insert into the table's accessory outlets or store out of the way when not in use.



BOIANCE™ FACE REST CRESCENT

Water spheres within the multi-layer foam support the face and weight of the head and delivers comfort while avoiding sinus pressure.



QUICKLOCK™ FACE REST PLATFORM & AERO•CEL™ FACE REST CRESCENT

The perfect combination for accurate positioning of the cervical spine. Platform available in Black or Vanilla.


These products are not FDA Listed.



Introducing THE BOIANCE™ FLOAT

PATENT PENDING WATER SPHERE TECHNOLOGY

FDA listed



Watch the video!

shown with the Boiance™ face rest crescent

- Incredible freedom of movement in all directions
- Eliminate compression of the cervical spine
- Just insert between cradle and pad!


6 Water Spheres, the same ones used in the famous Boiance Face Cradle Pillow, float the pillow and isolate it from the platform and table. Just place the Float between your face rest pad and platform.

PRONE PILLOW

FOR PERFECT PRONE & SUPINE POSITIONING







• Removable, easy to clean pads







US patent # D555,251 S (Made in China)

SPECIFICATIONS	
Weight	2.6 lbs.
Dimensions	20" L x 20.5" W x 6.25" H
Removable Pads	Face Rest, Bolster
Fabric	TerraTouch™ Coal
Safety Listings	FDA, CE Marked





PROPRIETARY PAD SYSTEM

- · Removable pads are easy to clean & less costly to replace
- · High quality covered soft cushions last much longer and are more comfortable than any vinyl coated rigid foam, and they are replaceable!



STOOLS

300 LB. WEIGHT CAPACITY

- · Super high density, long lasting foam
- Professional quality gas-assist system
- High quality TerraTouch™ fabric





PREMIUM STOOL with BACKREST

Colors: All TerraTouch™ Colors Low Height: 18" - 24" High Height: 20"- 28"



PREMIUM STOOL

Colors: All TerraTouch™ Colors Low Height: 18" - 24" High Height: 20"- 28"



PREMIUM STOOL with SADDLE SEAT

Colors: All TerraTouch™ Colors Low Height: 19" - 25" High Height: 22"- 29"



PROFESSIONAL STOOL

All TerraTouch™ Colors Low Height: 18"- 24" High Height: 21"- 28"



PROFESSIONAL STOOL with SADDLE SEAT

All TerraTouch[™] Colors Low Height: 19"- 25" High Height: 22"- 29"



BASIC STOOL

Colors: Black, Heron or Ruby ONLY Height Range: 18"- 24" (Made in China)

These products are not FDA Listed.





DURABLE & COMFORTABLE

TERRATOUCH[™]

PVC & Latex FREE!

TerraTouch fabric is designed to meet our high standards for longevity and suppleness. An Oakworks' exclusive, this PVC- free premium polyurethane has excellent resistance to oil, abrasion, and tears. TerraTouch fabric will meet the table requirements of ISO 10993-1:2009 Biological Evaluation of Medical Tables and will pass testing for Cytotoxicity, Skin Irritation and Sensitization as well as CA TB117 Fire Retardance testing. For disinfecting purposes you may use Protex, MadaCide, MadaWipe, Accell TB, Virox (Canada), PDI Duper Sani-Cloth Germicidal wipe or a diluted 1/10 bleach solution.

Please refer to operating manuals for cleaning guidelines.



We strive to ensure that the colors displayed on our product imagery (online and in print) are as accurate as possible. However, due to the limitations of printers, scanners, computer monitors, and other equipment, the colors may not be accurate. In order to receive an accurate representation of color, please contact us for a sample.



QUALITY POLICY

It is the policy of Oakworks® to provide world class products and services that consistently meet or exceed our customers' expectations. We pledge to diligently maintain the integrity of our Quality Management Systems in our pursuit of total customer satisfaction.



POSITIONING PATIENTS for POSITIVE OUTCOMES



Serving many specialities...



Imaging Tables



Procedure Chairs



Ultrasound Tables





